

# The Construction Industry and Modernization-Applying Change Concepts

Nnadi EOE<sup>1</sup>

<sup>1</sup> Enugu State University of Science and Technology

*Received: 11 December 2019 Accepted: 1 January 2020 Published: 15 January 2020*

---

## Abstract

Globalization has fully taken its course in no other sector more apparent than in the rapidly growing construction industry. The industry is being forced to change at an unprecedented pace. Nigeria and other developing countries are not exempted as they witness a fast-growing rate of construction activities also. The industry must adapt to a global trend and a sense of camaraderie to meet the huge demands, reduce risks involved; thus, safeguarding quality and profitability. Change is an enormously complex issue but the industry must take cognizance of the change demand to gain competitive advantages. The aim of this study is to examine the effect of change application on the modernization of the construction industry. This paper presents the results of a literature review carried out on change application in modernization of construction industry. It examines the issues that will cause change, reviews the available literature to find how change can be managed and controlled, and develops a model for guiding change programmes in the construction industry. Interviews and questionnaire surveys were adopted tools in getting data and analyzed to achieve the research aim.

---

*Index terms*— change, construction industry, globalization, management and modernization

## 1 Introduction

Change is defined by [1] as "the act or an instance of making or becoming different, an alteration or modification". There are many different reasons and sources for change which is inevitable. Since changes will never disappear, the best option is to manage them to prevent negative consequences. The impacts and consequences of changes on an organization and people varies. It depends on the type and nature of changes, but most importantly on how they are managed. The changes are to be managed to maximize the benefits, minimize the penalties, and ensure that both benefits and penalties are distributed equitably [2]. Change occurs in construction industry globally because: [3] Global technological advancement [4] Successful invention [5] Significant shift in the world markets or exchange rates [6] Surges in the world or regional demand [7] Political decisions by foreign governments [8] Project complexity [9] Improvement in clients' satisfaction and meeting project objective [10] Ensure effective cost management and control [11] Meeting with climatic change/wars and act of nature On a world-wide level, changes are occurring at a rapid pace, particularly in information technology. The increasing number of computer based applications that are now available to construction companies is changing the nature of the business which we carry out. Research projects funded by the European Union into the area of information technology are showing how we can reuse construction design information and how we can access information generally throughout the industry [3]. Society is now facing an "information technology revolution" which will bring a period of change he has likened to that of the Industrial Revolution. If this is the case, then all organizations must recognize that survival in business will be dependent on their ability to adapt to changing circumstances [12]. The industry must therefore adapt to a global trend to fit in and ensure risks reduction thereby improving quality of project delivery; meeting the target cost and time; thus, ensuring sustainability. This study therefore examines the effect

43 of change application on the modernization of the construction industry in Nigeria. Different areas where change  
44 can be applied and effect were identified including change management and control.

## 45 2 II.

### 46 3 Review of Related Literature

47 Change is not just about how people act, but it is also about how they think and this perspective forms a basis for  
48 the link between CM in organizations and internal communication with the people responsible for making those  
49 changes happen 5 . Change occurs in construction at two levels: organizational and project level. Throughout  
50 a project, construction organizations are faced with many changes, most of which are design changes. Project  
51 changes are inevitable even if there had been detailed studies during the design development, and prior to the  
52 construction stage. Besides handling changes at project level, construction companies are sometimes required  
53 to implement changes at organizational level related to management, technology, people and cultural issues 6  
54 .Change can be introduced in several ways depending on the aim of the change programme. In establishing how  
55 to approach a change situation, the effect of change throughout the organization must be assessed at all levels  
56 of activity. The four main levels of activity have been defined as: ? Task Level -at which individual actions take  
57 place as part of a process

58 ? Process Level -at which a series of tasks are carried out ? System Level -at which number of processes are  
59 integrated and managed ? Organizational Level -at which decisions are made and actions are taken to determine  
60 the strategy of the organization.

61 These levels are tied together with a complicated series of interfaces through which individuals interact with  
62 those in their own organization and in other organizations.

### 63 4 a) The construction industry

64 The industry is subject to the law of elastic and return which can be either way depending on the scope and the  
65 nature of the project. The model in fig ?? indicates that the project's nature or complexity will determines the  
66 reactions of other factors or indicators. Therefore, if the project core expands, the support systems must grow  
67 to meet the needs of the projects. On the other hand, if the workload contracts, the systems will be downsized  
68 to match the demand. It is this dependence on the project core and the cyclical nature of construction activity  
69 that brings about a constant state of change in the supporting systems. However, it is also this constant state  
70 of change that prevents meaningful attempts at change management in the supporting systems, as the status of  
71 the systems is regarded as temporary and any effort to manage the change could be impeded by a change in the  
72 project core. Construction organizations can readily apply the latest management concepts and new technology in  
73 the context of the project but appear to be reluctant to apply the same principles in an organization wide context.  
74 From this perspective, we can see why a construction organization has difficulty with planning for and coping  
75 with change. To cope with change, a construction organization must take a more global view of its operations,  
76 shifting emphasis from a project approach to a more entrepreneurial approach. Information Technology (IT) is  
77 evidently the most strategic means of effecting change in construction system. IT is currently used to a limited  
78 extent in: Design; Financial Management; Planning; Monitoring; communication and Reporting. The change  
79 includes many existing software packages designed in compatibility with the area. IT thus ensures; ? Time saving  
80 ? Automate tasks and thereby cut payroll costs ? Proper organization and radically improve the way work is  
81 done ? Avoid waste and use less paper.

82 The most likely underlying cause of the failure to change in the instance of IT implementation is therefore  
83 that those managing the change have attempted to implement a change without due regard for the other tasks  
84 and processes that would be affected. To avoid this situation, it is necessary to understand the effect of one task  
85 or process on another. For change to be effective, the educational curriculum must be adjusted to cope with  
86 the change. This is the reason while it seems the standard of education is falling; especially in Global Journal  
87 of Researches in Engineering ( ) Volume Xx X Issue I V ersion I developing countries. There is no fall in the  
88 standard but the standard should be redesigned to accommodate the expanded change. Previous work by 7 on  
89 change management on Irish construction discovered that; even the smallest of changes can affect the working  
90 environment of a significant proportion of those who work in the organization This matrix shows that no single  
91 change approach will be suitable in all situations. Most changes, will require action at one or more interfaces,  
92 along with action at one or more activity levels, a combination of at least two of the approaches will be required  
93 to achieve the expected change. He thus concludes that Change is an enormously complex issue, which is possibly  
94 one of the reasons for the high failure rates of some change programmes.

## 95 5 Money

### 96 6 b) IT as a Change tool in Nigeria construction industry

97 The level of technological change in every industry continues to gather pace and the construction industry is no  
98 exception. New equipment and methodology has contributed to an increase in productivity, safety and quality  
99 of project delivery. Technology has a major role to play a in the change concepts transformation. Changes

---

100 in designing to construction patterns drive the creation of new technologies necessary for sustainability and  
101 their adoption and diffusion at the desired pace. Success in bringing about these changes require substantial  
102 reorganization of the industry to accommodate new views and methodologies. Training and financial incentives  
103 for the creation and adoption of new technologies will be needed which may include innovative policy reforms.  
104 The potential uses of Information Technology (IT) in the industry are enormous. For example: ? Buildings can  
105 now be designed and costed electronically thereby facilitating a greater re-use of design and cost information  
106 and realizing savings in design costs. Comparative analysis is easily carried out using information technology. ?  
107 Planning carried out using computers allows quick comparisons of the time and resources required to complete  
108 different designs and shows the effect of design changes on the remainder of an existing project ? Immediate  
109 access to technical information held in a computer at a remote location ? Use of e-mail to distribute documents  
110 and correspondence ? Electronic bill tendering (e-tendering), e-marketing and so on ? Sourcing of materials  
111 and services using Internet style search engines ? Electronic commerce (e-commerce) now allows the ordering  
112 of and paying for materials to be carried out electronically ? Meetings can be held using video-conferencing  
113 ? Communication are effectively carried out using media channels like whap, you tube etc ? Documents and  
114 drawings can be viewed/ recorded / stored / distributed / updated and printed using computers; information  
115 gathered on previous projects can be accessed and used to make cost savings on new projects. Further advances  
116 are now occurring on almost daily basis, bringing newer and easier ways to tap the enormous potential of these  
117 machines. All of this has caused greater challenges for the management of construction companies. Companies  
118 grow and cope with new technology at a rate which could not have been envisaged in few years back. These same  
119 companies now face even more challenges in an ever changing construction environment. Now, an individual can  
120 use Computer Aided Drawing (CAD) software to draw, for example, a door. The lines and layers of the drawing  
121 can be copied and moved within the drawing or between drawings but to the computer they are still a series of  
122 lines and layers. It can also have other types of information attached to it such as its cost, availability and any  
123 other information required by any party who in any way encounters this door at any stage of the project. The use  
124 of Object Oriented Technology promotes a profound change in construction, as it enables different applications  
125 to make use of information in a way that has not previously been possible. Internet on the other hand is basically  
126 a series of computers in several different locations all over the world that are connected to each other across  
127 standard and high speed telephone lines. As computers share information with each other, the greater number  
128 of computers connected, the more information is available. The information is held on websites, which may be  
129 accessed through any computer connected to the Internet.

130 However, IT is often seen as a complex field best understood by young minds and many of the direc-  
131 tors/managers/chief executives of Nigerian construction companies may not have had the time or the patience  
132 to keep up with the rapid pace at which this technology has been developing. Many may therefore not be aware  
133 of the direction in which IT is developing. This should be addressed by developing an organization-wide IT  
134 strategy to plan and control the increasing use of computers within the industry. New processes must be devised,  
135 implemented, monitored and improved where necessary. Changes must first be made where they will have the  
136 most noticeable effect thereby convincing all involved that the new processes are to the benefit of everyone.

## 137 **7 c) Change for effective cost savings**

138 A change in attitude may be needed by companies to keep trained staff and obtain maximum return for the  
139 investment in training. Experience from other industries should be drawn upon and approaches to staff retention  
140 might be considered-for example the Japanese policy of increasing the benefits to the individual as length of service  
141 increases. Human resources management must face the challenge of finding and retaining the staff necessary to  
142 fulfil the aims of the corporate plan. Plans must be developed and administered to ensure that the company  
143 utilizes its staff to full capacity and potential. At Systems level, the promotion of innovation, team working,  
144 delegation of authorities and an emphasis on quality must be encouraged to improved workers' performance and  
145 productivity to the advantage of the company. Ever since the Latham Report (1994) cited by 7 stated that UK  
146 construction costs to the client could be reduced by 30%, the search has been ongoing to find where such savings  
147 could be made. Nigerian construction industry too has not relapsed in their efforts to cut down construction  
148 cost in the country. Materials management has subsequently emerged as an area worthy of examination in the  
149 search for such savings. 'In Sweden (Laage-Hellman & Gadde 1996), Finland (Wegelius-Lehtonen 1995) and in  
150 the UK (Dawood 1997), materials management has been identified as an area where some savings could be made.  
151 Each of these pieces of research approached materials management in a changed way. Laage-Hellman & Gadde  
152 gave an account of the progress made by Swedish construction company Skanska in its attempts at introducing  
153 Electronic Data Interchange (EDI) into its purchasing system. The cost of processing an invoice was found to  
154 be SEK 300 (approximately US\$45). Laage-Hellman & Gadde state that this cost can be reduced by 90% by  
155 using EDI. The possibility of use of the suppliers' expertise in relation to availability, handling, etc., is not often  
156 examined. Such involvement can lead to a 10% reduction in construction times (Agapiou, Flanagan, Norman  
157 and Notman, 1998) and is now widely accepted in other countries such as Denmark, Sweden and Japan' 8 . 9  
158 noted that the simplification of the materials management process also led to:

159 ? Closer co-operation of the supplier and the contractor ? A higher quality of the information between  
160 contractor and supplier resulting in fewer ordering errors ? An increase in the speed of the materials handling  
161 process and in the ease with which information could be transmitted. These factors in turn resulted in increased

162 cost effectiveness in the construction chain. 10 objective was to discuss and introduce a new strategy for materials  
163 management for the construction industry with a view to minimizing wastage. He observed current practices  
164 and discovered that wastage accounts for 8-10% of project costs. By making a few basic changes to some aspects  
165 of the building process and by introducing a computer based materials management system. He estimated that  
166 construction costs could be reduced by at least 10%. These savings would occur because of reduced wastage,  
167 fewer project delays, early selection of suppliers leading to lower prices and greater certainty of availability of  
168 materials, greater understanding of the type and amount of materials needed thereby eliminating late and in  
169 accurate ordering, and a reduction in on-site overheads. The process of doing things in a changed and new way  
170 is termed 'reengineering'. 11 defines re-engineering as: "discontinuous thinking?recognizing and breaking away  
171 from the outdated rules and fundamental assumptions underlying operations. These rules of work design are  
172 based on assumptions about technology, people, and organizational goals that no longer hold." Deevy argues  
173 that an organization is a living system capable of selforganization and self-renewal-if the right conditions are  
174 created. This living system, if allowed, is capable of continuously adapting to the needs of the marketplace and  
175 to changes in the business environment. Reengineering the processes should, therefore, be preceded by a major  
176 cultural change in the organization. That made 12 agrees that up to 70% of BPR projects fail and he identifies  
177 the biggest obstacles to successful reengineering as: ? Lack of sustained management commitment and leadership  
178 ? Unrealistic scope and expectations ? Resistance to change.

### 179 8 d) Value Engineering

180 The search for improvement is also present in the concept of Value Engineering (also known as the Value Method,  
181 Value Analysis or Value Management). 13 state that the true value of an activity or product is its relationship to  
182 its perceived worth as opposed to its life-cycle costs. In Value Method terms: Value = Worth/ Cost. When an  
183 item has a value greater than 1.0, it is perceived to be fair or good value; when an item has a value less than 1.0,  
184 it is perceived to be poor or bad value. The opportunity to improve the value of a project is greatest at project  
185 inception. This shows that, to maximize savings, value engineering should commence at the earliest opportunity  
186 in the development of the design brief. It can continue up to and including the procurement of trade contractors.

187 There are many ways to approach change and the technique used will depend on the type of challenge that  
188 the organization is facing. Process re-engineering is used to achieve drastic improvement in the efficiency of  
189 part of an organization and is often used when new technology potentially makes an existing process obsolete.  
190 Value Engineering has produced its best results to date when applied as early in the design process as possible  
191 and consequently is generally Year 2020 Global Journal of Researches in Engineering ( ) Volume Xx X Issue  
192 I V ersion I viewed as a project specific application. The potential rewards of applying change in materials  
193 management are considerable. Change techniques related to levels of activity in the industry requires strategic  
194 approach. Whatever approaches are used, their success depends on the following factors: ? The change must be  
195 fully thought out and meticulously planned. ? The highest level of management within the organization must  
196 fully understand and be totally committed to the change process. ? Lines of communication must be opened and  
197 maintained across as many levels as possible within the company. ? Training in all aspects of the new systems  
198 and all in all of the skills required by the new systems must be given to all of those involved.

199 ? Change is dynamic; therefore, the change process itself must adapt to suit any new circumstances in which  
200 their organization finds itself. ? Once the change programme has been implemented, the process of change  
201 must continue if competitive advantage is to be maintained. The major hindrance to organizational growth  
202 are the managers in change process. The inability of the operators to change their attitudes and behaviour as  
203 rapidly as their organizations require; slow down the pace of expected change. Change Management which is the  
204 deployment and manipulation of financial, technological, natural and human resources efficiently and effectively  
205 to accomplish set goals and objectives.

### 206 9 Source: Researcher, 2020

207 Summarily, the application of change concepts as shown in figure 2ensures project durability and sustainability,  
208 it increases performance and ensure whole life costing of construction projects.

### 209 10 III.

### 210 11 Methodology

211 The research methodology was used to achieve the objectives of the project. Basically, we can identify the  
212 following steps.

### 213 12 a) Sample selection

214 The method of the data collection was through a questionnaire survey. The questionnaire was distributed among  
215 construction industry professionals working in the building construction industry.

---

## 216 **13 b) The survey**

217 Survey questionnaire was divided into three sections. The first, section was titled "Questions regarding the  
218 experience and the about company". The second section of survey was titled "Questions regarding the impact  
219 of change on construction project delivery". These questions attempted to find out whether the company had  
220 adopted an innovation in their working system and identified the benefits of the change methodology in their  
221 organization. The questionnaire survey was carried out using three methods. The questionnaire form was  
222 distributed among construction industry professionals by hand and via email. Face to face interviews were  
223 conducted with selected project managers, site managers and site engineers on a several projects.

## 224 **14 c) Analysis of responses**

225 After the survey responses were received, analytical examination was carried out. The questionnaire results were  
226 ranked according to Likert

## 227 **15 Change effect**

## 228 **16 Results and Discussion**

229 Extracted information from questionnaires and direct interview can be present as follows.

230 Survey questionnaire was designed in three sections. The first section included questions regarding the  
231 experience and background of the respondent and his company. This section helps to get an idea about responder's  
232 position in this field. According to above result most of responders work as consultants while lesser number as  
233 contractors were reached. This is because the consultants are key to ensure new adaptability and monitoring.  
234 Working experience in construction industry responders experience was most effecting factor when doing this  
235 kind of survey. The highest number of responder are above 15years in practice, hence, given credibility to the  
236 information supplied.

## 237 **17 a) Identified benefits of change in construction industry**

238 Six key benefits of change were ranked by the respondents. As shown in table 1; the construction consultants  
239 such as the Architects, Engineers and Quantity Surveyors who make use of this change tools identified effective  
240 cost savings with RII of 0.81 as the most importance benefit, earlier completion and improved performance were  
241 ranked second and third with RII of 0.80 and 0.78 respectively. This was not too far from the contractors who  
242 identified improved performance as the highest benefits derived from change application with RII of 0.82 while  
243 effective cost savings ranked second with RII of 0.80. On the average rankings; effective cost savings came first  
244 with RII of 0.81. improved performance of RII of 0.80 and earlier completion with RII of 0.78 were ranked second  
245 and third respectively. Finally, this paper assessed the acceptance level for change and modernization among  
246 construction stakeholders. This is to give credit to change implementation and promotion within the industry.  
247 The acceptance level was divided into two main factors such as "Change related to meeting client's needs in  
248 terms of cost, quality, time of delivery and sustainability" and "change related to risk reduction, international  
249 acceptability and competitiveness". The level of acceptance was based on the scale of: -Low acceptance level if  
250 score less than 5; and -High acceptance level if score more than 5.1.

251 Result from the questionnaire analysis show that the level of acceptance is high for both categories as shown  
252 in table 2. The score of 8.5 in table 2 shows that construction stakeholders have highly accepted change which is  
253 the key driver for improving client's relationship. Cost of construction are executed as targeted; project delivered  
254 to time and at required quality and sustainability. Change ensures time maximization, risk reduction securing  
255 project completion date. The score 25 Year 2020

256 Global Journal of Researches in Engineering ( ) Volume Xx X Issue I V ersion I level of 7.8 indicates that the  
257 construction stakeholders have high level of acceptance towards ensuring international acceptability. The world  
258 is a global village. Nigeria and other developing countries should operate in an accepted standard. The change  
259 application also gives room for the companies with Nigeria background to measure up and compete with their  
260 foreign counterparts.

261 V.

## 262 **18 Conclusion**

263 Modern methods of construction change the risk profiles of construction projects. Some development risks become  
264 less significant in terms of likelihood of occurring and potential impact. Examples include price fluctuations  
265 during the construction process and delays due to bad weather. Other risks become more significant. Examples  
266 of these include unpredictable planning decisions and designs that are not suitable to the construction method.  
267 The changes necessary to achieve this position include: a value engineering approach applied to the process of  
268 materials management in order to minimize the tasks in the process; a re-engineering approach to the tasks  
269 that remain in the process; a total quality management approach, with continuous improvement being actively  
270 sought in interface areas in the system; a strategic approach with a view to developing partnering arrangements  
271 within the industry and an innovative and open-minded approach to be taken to the potential of the use of new

## 18 CONCLUSION

---

272 technology. If these are put in place, the identified benefits such as effective cost savings, improvement in job, earlier delivery period and so on would be made possible. <sup>1 2</sup>

1

IDENTIFIED BENEFITS	CONSULTANTS		CONTRACTORS		TOTAL SAMPLE	
	RII	RANK	RII	RANK	AV/GROUP RII	GROUP RANK
Improved Performance	0.78	3	0.82	1	0.80	2
Earlier completion	0.80	2	0.77	3	0.79	3
Effective cost savings	0.81	1	0.80	2	0.81	1
Risk reduction	0.68	4	0.74	5	0.71	4
International acceptability	0.67	5	0.72	4	0.70	5
Global competitiveness	0.60	6	0.64	5	0.62	6

[Note: Source: Researchers work, 2020]

Figure 1: Table 1 :

2

S/N	CATEGORY	SCORE
1	Client's satisfaction	8.5
2	International acceptability and competitiveness	7.8

Source: Researchers work, 2020

Figure 2: Table 2 :

273

---

<sup>1</sup>© 2020 Global JournalsThe Construction Industry and Modernization-Applying Change Concepts  
<sup>2</sup>© 2020 Global Journals

- 
- 274 [July] , July . p. .
- 275 [Concise Oxford Dictionary (ed.) ()] , Concise Oxford Dictionary . 8ed., ed. R.E., Alien (ed.) 1990.
- 276 [Dawood ()] ‘A strategy for a computerbased materials management system for thebuilding industry’. N Dawood  
277 . *Journal of Financial Management of Property and Construction* 1996. 1996. p. 1.
- 278 [Malhotra ()] ‘Business Process Redesign: An Overview’. Y Malhotra . *IEEE Engineering Management Review*  
279 1998. 26 (3) .
- 280 [Erdogan et al. (2005)] ‘Change management in construction:the current context’. B Erdogan , C Anumba ,  
281 Bouchlaghem , Y Nielsen . *21st Annual ARCOM Conference*, F Khosrowshahi (ed.) 2005. 7-9 September  
282 2005. 2 p. .
- 283 [Erdogan et al. ()] B Erdogan , C Anumba , Bouchlaghem , Y Nielsen . *citing Buckley, Salminen &Kesteloot*,  
284 2005. 1997.
- 285 [Laage-Hellman ()] ‘Information Technology and the Efficiency of Materials Supply: The implementation of EDI  
286 in the construction industry’. J Laage-Hellman , Gadde L E . *ISPERA Conference*, 1996. 1996. p. . Eindhoven  
287 University of Technology, The Netherlands
- 288 [Kitchen and Daly ()] ‘Internal communication during change management’. P J Kitchen , F ( Daly . *Corporate*  
289 *Communications* 2002. 7 (1) p. .
- 290 [Gunnigan ()] *Management of Change in the Irish Construction Industry, thesis submitted to the Department of*  
291 *Civil, Structural and Environmental Engineering, Trinity College, Dublin in fulfilment of the requirements of*  
292 *achieving an MSc by Research*, L Gunnigan . 1999.
- 293 [Gunnigan ()] *Management of Change in the Irish Construction Industry, thesis submitted to the Department of*  
294 *Civil, Structural and Environmental Engineering, Trinity College, Dublin in fulfilment of the requirements of*  
295 *achieving an MSc by Research citing Hammer*, L Gunnigan . 1999. 1990.
- 296 [Gunnigan ()] *Management of Change in the Irish Construction Industry, thesis submitted to the Department of*  
297 *Civil, Structural and Environmental Engineering, Trinity College, Dublin in fulfilment of the requirements of*  
298 *achieving an MSc by Researchciting (Day*, L Gunnigan . 1999. 1996. Dandy and Townsend.
- 299 [Lazarus and Clifton ()] *Managing project change: A best practice guide*, D Lazarus , R Clifton . 2001. CIRIA  
300 C556, London, UK.
- 301 [Deevy ()] *Rapid Response Management, Creating the Resilient Organization*, E Deevy . 1995. New Jersey:  
302 Prentice Hall.
- 303 [Value Method Discussion Systematic Analytic Methods and Innovations (SAMI) ()] ‘Value Method Discus-  
304 sion’. <http://www.value-engineering.com/vmtell.htm> *Systematic Analytic Methods and Innova-*  
305 *tions (SAMI)*, 1998. (Published on the)